Copyright © 2011. Acer Incorporated. All Rights Reserved. Acer Projector C120 Series User's Guide

Original Issue: 9/2011

Changes may be made periodically to the information in this publication without obligation to notify any person of such revisions or changes. Such changes will be incorporated in new editions of this manual or supplementary documents and publications. This company makes no representations or warranties, either expressed or implied, with respect to the contents hereof and specifically disclaims the implied warranties of merchantability or fitness for a particular purpose.

Record the model number, serial number, purchase date and place of purchase information in the space provided below. The serial number and model number are recorded on the label affixed to your projector. All correspondence concerning your unit should include the serial number, model number and purchase information.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronically, mechanically, by photocopy, recording or otherwise, without the prior written permission of Acer Incorporated.

Acer Projector C120 Serie	Acer Projector C120 Series				
Model number:					
Serial number:					
Date of purchase:					
Place of purchase: _					

Acer and the Acer logo are registered trademarks of Acer Incorporated. Other companies' product names or trademarks are used herein for identification purposes only and belong to their respective companies.

# Information for your safety and comfort

Read these instructions carefully. Keep this document for future reference. Follow all warnings and instructions marked on the product.

#### Turning the product off before cleaning

Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.

#### Caution for plug as disconnecting device

- Observe the following guidelines when connecting and disconnecting power to the external power supply unit:
- . Install the power supply unit before connecting the power cord to the AC power outlet.
- · Unplug the power cord before removing the power supply unit from the projector.
- If the system has multiple sources of power, disconnect power from the system by unplugging all power cords from the power supplies.

#### **Caution for Accessibility**

Be sure that the power outlet you plug the power cord into is easily accessible and located as close to the equipment operator as possible. When you need to disconnect power to the equipment, be sure to unplug the power cord from the electrical outlet.

#### Warning:

- · Do not use this product near water.
- Do not place this product on an unstable cart, stand or table. If the product falls, it could be seriously damaged.
- Slots and openings are provided for ventilation to ensure reliable operation of the product and to protect it from overheating. These openings must not be blocked or covered. The openings should never be blocked by placing the product on a bed, sofa, rug or other similar surface.

- This product should never be placed near or over a radiator or heat register, or in a built-in installation unless proper ventilation is provided.
- Never push objects of any kind into this product through cabinet slots as they may touch dangerous voltage points or short-out parts that could result in a fire or electric shock. Never spill liquid of any kind onto or into the product.
- To avoid damage of internal components and to prevent battery leakage, do not place the product on a vibrating surface.
- Never use it under sporting, exercising, or any vibrating environment which will probably cause unexpected short current or damage rotor devices.

### Product servicing

Do not attempt to service this product yourself, as opening or removing covers may expose you to dangerous voltage points or other risks. Refer all servicing to qualified service personnel.

Refer servicing to qualified service personnel when:

- · the power cord or plug is damaged, cut or frayed
- liquid was spilled into the product
- the product was exposed to rain or water
- the product has been dropped or the case has been damaged
- the product exhibits a distinct change in performance, indicating a need for service
   the product exhibits a distinct change in performance.
- the product does not operate normally after following the operating instructions

Note: Adjust only those controls that are covered by the operating instructions, since improper adjustment of other controls

may result in damage and will often require extensive work by a qualified technician to restore the product to normal condition.

Warning! For safety reasons, do not use non-compliant parts when adding or changing components. Consult your reseller for purchase options. Your device and its enhancements may contain small parts. Keep them out of the reach of small children.

### Additional safety information

- . Do not look into the projector's lens when the light is on. The bright may hurt your eyes.
- Turn on the projector first and then signal sources
- · Do not place the product in following environments:
  - Space that is poorly ventilated or confined. At least 50cm clearance from walls and free flow of air around the projector is necessary.
- Locations where temperatures may become excessively high, such as inside of a car with all windows rolled up.
- Locations where excessive humidity, dust, or cigarette smoke may contaminate optical components, shortening the life span and darkening the image.
- · Locations near fire alarms.
- · Locations with an ambient temperature above 40 °C/104 °F.
- · Locations where the altitudes are higher than 10000 feet.
- Unplug immediately if there is something wrong with your projector. Do not operate if smoke, strange noise or odor comes out of your projector. It might cause fire or electric shock. In this case, unplug immediately and contact your dealer.
- Do not keep using this product to break or drop it. In this case contact your dealer for inspection.
- · Do not face the projector lens to the sun. It can lead to fire.
- · Do not frequently turn off the mail power abruptly or unplug the projector during operation.
- Clean the air filter frequently if have. The temperature inside may rise and cause damage when the filter/ventilation slots clogged with dirt or dust.
- Do not block the projector lens with any object when the projector is under operation as this could cause the object to become heated and deformed or even cause a fire.
- Do not attempt to disassemble this projector. There are dangerous high voltages inside which may hurt you. Refer servicing only to suitable qualified professional service personnel.
- Do not stand the projector on end vertically. It may cause the projector to fall over, causing injury or damage.

### **Caution for Listening**

To protect your hearing, follow these instructions.

- · Increase the volume gradually until you can hear clearly and comfortably.
- · Do not increase the volume level after your ears have adjusted.
- · Do not listen to music at high volumes for extended periods.
- · Do not increase the volume to block out noisy surroundings.
- Decrease the volume if you can't hear people speaking near you.

## **Disposal instructions**

Do not throw this electronic device into the trash when discarding. To minimize pollution and ensure utmost protection of the global environment, please recycle. For more information on the Waste from Electrical and Electronics Equipment (WEEE) regulations, visit http://www.acer-group.com/public/Sustainability/sustainability01.htm



# **Regulations and safety notices**

### **FCC** notice

This device has been tested and found to comply with the limits for a Class B digital device pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this device does cause harmful interference to radio or television reception, which can be determined by turning the device off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the device and receiver.
- · Connect the device into an outlet on a circuit different from that to which the receiver is connected.
- · Consult the dealer or an experienced radio/television technician for help.

## Notice: Shielded cables

All connections to other computing devices must be made using shielded cables to maintain compliance with FCC regulations.

## Notice: Peripheral devices

Only peripherals (input/output devices, terminals, printers, etc.) certified to comply with the Class B limits may be attached to this equipment.

Operation with non-certified peripherals is likely to result in interference to radio and TV reception.

### Caution

Changes or modifications not expressly approved by the manufacturer could void the user's authority, which is granted by the Federal Communications Commission, to operate this device.

## **Operation conditions**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

#### Notice: Canadian users

This Class B digital apparatus complies with Canadian ICES-003.

#### Remarque à l'intention des utilisateurs canadiens

Cet appareil numérique de la classe B est conforme a la norme NMB-003 du Canada.

### **Declaration of Conformity for EU countries**

Acer hereby declares that this projector series is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC. Compliant with Russian regulatory certification



### Radio device regulatory notice

<u>ک</u>

Note: The regulatory information below is for models with wireless LAN and/or Bluetooth only.

#### General

This product complies with the radio frequency and safety standards of any country or region in which it has been approved for wireless use.

Depending on configurations, this product may or may not contain wireless radio devices (such as wireless LAN and/or Bluetooth modules).

### Canada - Low-power license-exempt radio communication devices (RSS-210)

a. Common information

- Operation is subject to the following two conditions:
- 1. This device may not cause interference, and
- 2. This device must accept any interference, including interference that may cause undesired operation of the device.
- b. Operation in 2.4 GHz band

To prevent radio interference to the licensed service, this device is intended to be operated indoors and installation outdoors is subject to licensing.

#### List of applicable countries

This device must be used in strict accordance with the regulations and constraints in the country of use. For further information, please contact the local office in the country of use. Please see http://ec.europa.eu/enterprise/rtte/implem.htm for the latest country list.

iii

# First things first

### **Usage Notes**

#### Do:

- · Turn off the product before cleaning.
- · Use a soft cloth moistened with mild detergent to clean the display housing.
- Disconnect the power plug from AC outlet if the product is not being used for a long period of time.

#### Don't:

· Use abrasive cleaners, waxes or solvents to clean the unit.

- · Use under the following conditions:
  - · In extremely hot, cold or humid environments.
  - . In areas susceptible to excessive dust and dirt.
  - · Near any appliance that generates a strong magnetic field.
  - Place In direct sunlight.


### Precautions

Follow all warnings, precautions and maintenance as recommended in this user's guide to maximize the life of your unit.

..... Warning!

- . Do not look into the projector's lens when the light is on. The bright may hurt your eyes.
- To reduce the risk of fire or electric shock, do not expose this product to rain or moisture.
- · Please do not open or disassemble the product as this may cause electric shock.
- . Turn on the projector first and then the signal sources.


# Intrduction Product Overview



#	Description	#	Description
1	DC IN connector	4	Focus Dial
2	USB 3.0 Micro B type	5	Foot Stand
3	Lens		

# **Package Overview**

This projector comes with all the items shown below. Check to make sure your unit is complete. Contact your dealer immediately if any thing is missing.



acer		acer
Pouch	User's Guide	Quick start guide


# **Getting Started**

How to use the AC adater plug



#	ŧ	Description
1		Insert the plug. (illustration #1~3)
2	2	Change the plug. (illustration #4~6)

# **Connecting the Projector**




Connect the USB connector to your computer and plug the USB connector to the projector. If you want a brighter display, use power adapter or plug two USB connector to your computer.

Note: It is recommended to use power adapter to get best brightness.
 Note: If no power adapter, it is recommended to plug in USB 3.0 if have or plug the two USB connectors on the same side of the computer to get the best performance. Please make sure that your computer is capable of supplying sufficient current through the USB ports.
 Note: If only one USB ports available, use the Master USB connector.
 Note: Recommend to plug 2 USB port if not acer notebook.
 Note: Only support computer to link one C120.

### Minimum System Requirements:

- · Core 2 Duo 2.0Ghz
- 2GB DDR SDRAM



# **Turn Off the Projector**

When you have finished using the projector, unplugging the USB Y-cable from your computer.

# **Display over USB**

USB projection is an easy-to-use function to project a NB/PC's screen by single USB cable without needing any drivers. C120 provides both USB3.0 projection and USB2.0 projection.




When you first plug in your projector, NB/PC will detect C120 automatically and follow the onscreen instruction to install the application – Acer DisplayPal.


Run dlusb\_launcherC120.exe and then your NB/ PC screen will be projected out via C120. Enjoy your USB projection.



**Note:** Make sure Auto Run function is enabled. If not, please enable manually. Tap right button of mouse to open folder and run dlusb launcherC120.exe.

Acer DisplayPal will be displayed as tray icon, you will see "C120 detected" once C120 is ready to use.





English

3

# Acer DisplayPal

Tap tray icon of Acer DisplayPal if you want to adjust setting.

# **Display Mode**

You can choose Mirror mode or 800x600 mode to display. 800x600 is default setting.

Acer DisplayPal			
🛒 Display Mode	• 🖬 мі	rror 🕨	
Power Mode	• 👡 80	0 x 600 →	🗔 Original
About			🖂 Zoom 1
			🔟 Zoom 2

## **Power Mode**

You can choose Auto Power mode and ECO mode. Auto Power is default.

	Acer DisplayPal			
ц.	Display Mode	+	9	Auto Power
9	Power Mode	•	6	ECO
•	About			

Refer to below table to choose the suitable one.


	Power Mode	Used USB port	Total Power (reference)	Brightness ranking by ★ Brightness (unit: Im)	Remark
Auto	Adapter	NA	20W	******	Recommended by power adapter
	USB 3.0 x 1 (Master)	1 port, USB 3.0 x 1	9W	*****	No adapter, NB with USB 3.0 port
	USB 2.0 x 2	2 ports, USB 2.0 x 2	7W	****	No adapter, NB with USB 2.0 port only
	USB 2.0 x 1 (Master)	1 port, USB 2.0 x 1	4W~7W	****	Depended on USB power
Eco	Adapter	NA	12W	*****	Recommended with silence
	USB 3.0 x 1 (Master)	1 port, USB 3.0 x 1	4.5W	**	Depended on USB power
	USB 2.0 x 2	2 ports, USB 2.0 x 2	4W	**	Depended on USB power
	USB 2.0 x 1 (Master)	1 port, USB 2.0 x 1	4W	**	Depended on USB power

# About

About : version information of Acer DisplayPal.



## How to Optimize Image Size and Distance



Choose the appropriate distance for your need. After installation, you can now enjoy your USB projection.

, 			
Desired	Screen Size		Top <c></c>
Distance (m) <a></a>	Diagonal (inch) <b></b>	W x H (cm)	From base to top of image (cm)
0.37	10	22 x 12	12
0.5	14	30 x 17	17
1.0	27	61 x 34	34
1.5	41	91 x 51	51
2.0	55	121 x 68	68
2.5	68	152 x 85	85
3.0	82	182 x 102	102
3.5	96	212 x 119	119
3.65	100	221 x 124	124

# Appendices

# Troubleshooting

Some solutions to problems that you may encounter:

#	Problem	Solution
1		<ul> <li>Make sure the USB cables are correctly and securely connected.</li> <li>Make sure that your computer is turned on.</li> <li>Please check to plug Master USB connector.</li> <li>Recommend to use power adapter if not acer notebook.</li> </ul>
2		<ul> <li>Adjust the focus dial.</li> <li>Adjust the distance from the screen to suit your viewing needs.</li> </ul>
3	Image is too small or too large	Move the projector closer or further away from the screen.
4	Image is flickering	<ul> <li>Adjust power mode because USB power is not enough. Follow on-screen intruction to adjust.</li> <li>USB power adapter in the market is for reference.</li> </ul>

# Specifications

Projection System	DLP®	Weight	176 g
Resolution	Native WVGA (854 x 480)	Dimensions	110 x 85 x 25 mm
Displayable Colors	16.7 Million Colors	Dimensions	(4.3" x 3.3" x 0.98")
Vertical Refresh Scan Rate	25 Hz to 86 Hz	Input Interface	DC IN x 1 USB 3.0 Micro B type x 1
Horizontal Scan Rate	30 KHz to 100 KHz		40W AC adapter
Projection Lens	F = 1.87, f = 11.00mm Manual Focus	Power Supply	(19V/2.54A, 100V ~ 240V AC) USB Power (type A) from NB
Projection Screen Size	10" (25 cm) ~ 100" (365 cm)	Power Consumption	23 W (maximum) by AC adapter
Aspect Ratio	16:9 (Native), 4:3		
Throw Ratio	55"@2 m (1.65:1)		AC adapter with AC plug x 1
Operating Temperature	5°C ~ 35°C / 41°F ~ 95°F	Standard Accessories	USB Y-cable x 1 Pouch x 1
Operating Humidity	35 ~ 80%RH		User's Guide (CD-ROM) x1
Computer Compatibility	Windows XP/Vista/Win7		Quick start guide x1

# A. PC 4:3 timing

VGA Analog - PC Signal				
Mode	Resolution	V.Frequency (Hz)	H.Frequency [KHz]	
SVGA	800 x 600	60	37.9	
XGA	1024 x 768	60	48.4	
SXGA	1280 x 1024	60	64.0	
QuadVGA	1280 x 960	60	60.0	
SXGA+	1400 x 1050	60	65.3	
UXGA	1600 x 1200	60	75.0	

## B. PC Wide timing

VGA Analo	VGA Analog - PC Signal					
Mode	Resolution	V.Frequency (Hz)	H.Frequency [KHz]			
WXGA	1280 x 768	60	47.8			
WXGA	1280 x 720	60	44.8			
WXGA	1280 x 800	60	49.6			
WXGA	1024 x 768	60	59.9			
WSXGA+	640 x 480	60	65.3			
WSXGA+	800 x 600	60	67.5			
WSXGA+	1024 x 768	60	47.7			